UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/613,654	07/03/2003	Gad Keren	022352-000310	7244	
TOWNSEND AND TOWNSEND AND CREW, LLP TWO EMBARCADERO CENTER EIGHTH FLOOR SAN FRANCISCO, CA 94111-3834			EXAM	EXAMINER	
			DESANTO, MATTHEW F		
			ART UNIT	PAPER NUMBER	
	,		3763		
		·			
			MAIL DATE	DELIVERY MODE	
			08/10/2007	PAPER .	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

				/			
		Application No.	Applicant(s)				
Office Action Summary		10/613,654	KEREN ET AL.				
		Examiner	Art Unit				
	·	Matthew F. DeSanto	3763				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address				
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused the sound will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)	Responsive to communication(s) filed on 18 Ap	oril 2007.					
	This action is FINAL . 2b) This action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Dispositi	ion of Claims						
5)□ 6)⊠ 7)□	Claim(s) 33,36-41 and 44-56 is/are pending in 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 33,36-41 and 44-56 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.					
Applicati	ion Papers						
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	epted or b) objected to by the for drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority u	under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachmen	t(s)			. •			
	ce of References Cited (PTO-892)	4) Interview Summary					
3) 🔲 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

DETAILED ACTION

Claim Objections

- 1. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).
- 2. In the instant claim there are six claims number 36. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 33, 36-41, 44-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Leschinsky (US 2001/0029349).

Leschinsky discloses in figure 6, a system for affecting a renal system comprising a local renal drug delivery catheter with a first and second portion and a second end portion comprising a first and second conduit (160,162) that extend distally from the first end portion, wherein the first and second conduits is coupled to a source of fluid agent (para [0050], [0051]), wherein the second end portion is adapted to be delivered, in a first condition with the first and second conduits at radially collapsed positions relative to

Art Unit: 3763

each other, transverse to the longitudinal axis, at least in part to a location associated with first and second renal artery osita along an abdominal aorta; and wherein the first and second conduit can deliver fluid into the arteries simultaneously. Leschinsky fails to disclose the specific drugs being claimed.

Although Leschinsky does not teach the specific drugs claimed, Leschinsky does teach that the set maybe used to administer "all types of medical drugs or serums."

Since Leschinsky is taught as a device for "treating kidney diseases" (paragraph [0010]), it would have been obvious to include a drug adapted to affect renal function as claimed. Applicant claims a wide range of renal drugs, both broadly by function, and narrowly by name. In Applicant's own specification, at page 2 lines 4-13. Applicant discloses that administration of these drugs are "previously known methods" of treating acute renal (kidney) failure. Thus, one of ordinary skill in the art would have found it obvious to administer these using the device of Leschinsky.

The examiner would like to note, that MPEP section 2114 states, that in order to receive an apparatus patent, there must be some structurally different elements, and recommends that the applicant incorporates the structure that is different and that allows the claimed invention to perform the different function then the prior art

Response to Arguments

5. Applicant's arguments, filed 4/18/07, with respect to Choi (USPN 6,482,211) have been fully considered and are persuasive. The 102 Rejection has been withdrawn.

Application/Control Number: 10/613,654

Art Unit: 3763

Page 4

6. There are no arguments drawn to Leschinsky. The examiner still believes that Leschinsky reads on the claimed invention and therefore has kept the rejection. The examiner has also supplied the patent of the PG pub to show the support and to keep

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew F. DeSanto whose telephone number is 571-272-4957. The examiner can normally be reached on Monday-Friday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick LUCCHESI can be reached on (571) 272-4977. The fax phone

Application/Control Number: 10/613,654

Art Unit: 3763

number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew DeSanto Art Unit 3763 August 6, 2007

NICHOLAS D. LUCCHESI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700